Spindelreduzierung 12mm

Technical data

Produkte INDEX TRAUB	MS16-6
Funktion (Bauteil)	Spindelreduzierung
Stangenlademagazin	IEMCA NEXT 25 • INDEX Stangenführung 3300 • INDEX Stangenführung 3800
Materiald. ohne Anbohreinheit	11 Millimeter

No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Collets and guide bushings

[Clamping head SK16 D=11,00mm]

Product ID : 10772907
Previous product ID : 900416.R110

Clamping device size SK16	manufacturer product line SPANNTOP nova chuck	Clamping type grooved	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Spindelreduzierungen

[Schlüssel,16 mm,22 mm Demontage FZ-Rohre MS16]

Product ID : 10284753
Previous product ID : 925010.9001

[Spindle extension]

Product ID : 10340181
Previous product ID : M90561.30

[Key,16 mm (0.63 ") S20]

Product ID : 10674612
Previous product ID : 900416.8121

Bearing half-shells 13mm

Product ID : 10252221
Previous product ID : 925042.1300

INDEX TRAUB products	Function (Component)	Bar loading magazine	Bar diameter w/o drilling unit
MS16-6 • MS16-6 Plus	Bearing half-shells	IEMCA NEXT 25	11 Millimeter • 12 Millimeter

Fixture

Product ID : 11014344
Previous product ID : 900416.8162

INDEX TRAUB products	Function (Component)	Bar loading magazine	Bar diameter w/o drilling unit
MS16-6	Fixture	INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	4 Millimeter • 5 Millimeter • 6 Millimeter • 7 Millimeter • 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter

Inner tension tong RS20,11,00 mm

Product ID : 10864902
Previous product ID : 925210.0110

INDEX TRAUB products	Function (Component)	Bar loading magazine	Bar diameter w/o drilling unit
MS16-6 • MS16-6 Plus	Inner tension tong RS20	INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	11 Millimeter

Outer tension tong RS20

Product ID : 10797583
Previous product ID : 900416.8210

INDEX TRAUB products	Function (Component)	Bar loading magazine	Bar diameter w/o drilling unit
MS16-6 • MS16-6 Plus	Outer tension tong RS20	INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter

Reduction bushing 12mm

Product ID : 10484489
Previous product ID : 925041.1200

INDEX TRAUB products	Function (Component)	Bar loading magazine	Bar diameter w/o drilling unit
MS16-6	Reduction bushing	IEMCA NEXT 25	11 Millimeter

Other accessories

Spindle extension

Product ID : 10140416
Previous product ID : M90562.40

Feed force tester MS16C

Product ID : 10813724
Previous product ID : GM2901.9417