

---

## Spindelreduzierung 10mm

### Technical data

<b>Produkte INDEX TRAUB</b>	MS16-6
<b>Funktion (Bauteil)</b>	Spindelreduzierung
<b>Stangenlademagazin</b>	IEMCA NEXT 25 • INDEX Stangenführung 3300 • INDEX Stangenführung 3800
<b>Materiald. ohne Anbohrereinheit</b>	9 Millimeter

No 3-side view is currently available for this product

---

## Documents

No downloads available for this product

## Accessories

Optional accessories

### Collets and guide bushings

#### [Clamping head SK16 D=9,00mm](#)

Product ID : 10561847

Previous product ID : 900416.R090

Clamping device size SK16	manufacturer product line SPANNTOP nova chuck	Clamping type grooved	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Spindle liners

#### [Key,16 mm \(0.63 "\),22 mm Demontage FZ-Rohre MS16](#)

Product ID : 10284753

Previous product ID : 925010.9001

---

#### [Spindle extension](#)

Product ID : 10340181

Previous product ID : M90561.30

---

#### [Key,16 mm \(0.63 "\) S20](#)

Product ID : 10674612

Previous product ID : 900416.8121

---

### Bearing half-shells 11mm

Product ID : 10334761

Previous product ID : 925042.1100

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Bearing half-shells	Bar loading magazine IEMCA NEXT 25	Bar diameter w/o drilling unit 9 Millimeter • 10 Millimeter
----------------------------------------------	---------------------------------------------	---------------------------------------	----------------------------------------------------------------------

### Fixture

Product ID : 11014344

Previous product ID : 900416.8162

INDEX TRAUB products MS16-6	Function (Component) Fixture	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 4 Millimeter • 5 Millimeter • 6 Millimeter • 7 Millimeter • 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter
--------------------------------	---------------------------------	---------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Inner tension tong RS20,9,00 mm

Product ID : 10052640

Previous product ID : 925210.0090

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Inner tension tong RS20	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 9 Millimeter
----------------------------------------------	----------------------------------------------------	---------------------------------------------------------------------------------------------------------------------	---------------------------------------------------

---

### Outer tension tong RS20

Product ID : 10797583

Previous product ID : 900416.8210

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Outer tension tong RS20	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter
----------------------------------------------	----------------------------------------------------	---------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### Reduction bushing 10mm

Product ID : 10071767

Previous product ID : 925041.1000

INDEX TRAUB products MS16-6	Function (Component) Reduction bushing	Bar loading magazine IEMCA NEXT 25	Bar diameter w/o drilling unit 9 Millimeter
--------------------------------	-------------------------------------------	---------------------------------------	---------------------------------------------------

### **Other accessories**

### Spindle extension

Product ID : 10140416

Previous product ID : M90562.40

---

### Feed force tester MS16C

Product ID : 10813724

Previous product ID : GM2901.9417

---