


## Mandrin

### 技术特点

<b>Produits INDEX TRAUB</b>	C200 • R200 • ABC • TNK42/65 • ABC.2
<b>Passage de broche</b>	65mm
<b>Côté d'usinage</b>	Contre-broche
<b>Car. produits fabricants tiers</b>	Modulaire
<b>Fabr. tiers gamme prod.</b>	TOPlus mandrin
<b>Logement de broche</b>	AP140
<b>Taille des organes de bridage</b>	SK65
<b>Fabr. tiers gamme prod.</b>	Hainbuch



针对此产品，目前没有3面视图

## 文件

没有针对此产品的任何下载

## 附件

### 可选附件

其他附件

### Cabecote de sujeicao TOP65 D=35,00mm

产品ID : 10185407

以前的产品ID : 900565.R350

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 35 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=36,00mm

产品ID : 10012095

以前的产品ID : 900565.R360

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 36 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=37,00mm

产品ID : 10692144

以前的产品ID : 900565.R370

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 37 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=38,00mm

产品ID : 10006264  
以前的产品ID : 900565.R380

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 38 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=39,00mm

产品ID : 10590728  
以前的产品ID : 900565.R390

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 39 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=40,00mm

产品ID : 10635627  
以前的产品ID : 900565.R400

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 40 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=41,00mm

产品ID : 10983711  
以前的产品ID : 900565.R410

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 41 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=42,00mm

产品ID : 10739993  
以前的产品ID : 900565.R420

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>grooved</b>	Nominal diameter (mm) <b>42 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Cabecote de sujeicao TOP65 D=43,00mm

产品ID : 10371260  
以前的产品ID : 900565.R430

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>grooved</b>	Nominal diameter (mm) <b>43 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Cabecote de sujeicao TOP65 D=44,00mm

产品ID : 10060891  
以前的产品ID : 900565.R440

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>grooved</b>	Nominal diameter (mm) <b>44 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Cabecote de sujeicao TOP65 D=45,00mm

产品ID : 10413148  
以前的产品ID : 900565.R450

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>grooved</b>	Nominal diameter (mm) <b>45 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Cabecote de sujeicao TOP65 D=46,00mm

产品ID : 10025625  
以前的产品ID : 900565.R460

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 46 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=47,00mm

产品ID : 10123645  
以前的产品ID : 900565.R470

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 47 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=48,00mm

产品ID : 10622730  
以前的产品ID : 900565.R480

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 48 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=49,00mm

产品ID : 10644964  
以前的产品ID : 900565.R490

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 49 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=50,00mm

产品ID : 10589962  
以前的产品ID : 900565.R500

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 50 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=51,00mm

产品ID : 10952620  
以前的产品ID : 900565.R510

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 51 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=52,00mm

产品ID : 10756334  
以前的产品ID : 900565.R520

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 52 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=53,00mm

产品ID : 10156585  
以前的产品ID : 900565.R530

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 53 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=54,00mm

产品ID : 10452755  
以前的产品ID : 900565.R540

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 54 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=55,00mm

产品ID : 10166680  
以前的产品ID : 900565.R550

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 55 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=56,00mm

产品ID : 10265563  
以前的产品ID : 900565.R560

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 56 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=57,00mm

产品ID : 10558562  
以前的产品ID : 900565.R570

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 57 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=58,00mm

产品ID : 10784846  
以前的产品ID : 900565.R580

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 58 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=59,00mm

产品ID : 11058674  
以前的产品ID : 900565.R590

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 59 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=60,00mm

产品ID : 10628492  
以前的产品ID : 900565.R600

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 60 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=61,00mm

产品ID : 10001489  
以前的产品ID : 900565.R610

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 61 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=62,00mm

产品ID : 10744844  
以前的产品ID : 900565.R620

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 62 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=63,00mm

产品ID : 10013281  
以前的产品ID : 900565.R630

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 63 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=64,00mm

产品ID : 10468856  
以前的产品ID : 900565.R640

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 64 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 D=65,00mm

产品ID : 10372670  
以前的产品ID : 900565.R650

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 65 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 HSW D=8,00mm

产品ID : 10899243  
以前的产品ID : 900565.W080

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type Soft for custom boring	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 HSW D=20,00mm

产品ID : 10324949  
以前的产品ID : 900565.W200

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type Soft for custom boring	Nominal diameter (mm) 20 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 HSW D=40,00mm

产品ID : 10322862  
以前的产品ID : 900565.W400

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type Soft for custom boring	Nominal diameter (mm) 40 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Cabecote de sujeicao TOP65 G D=5,00mm

产品ID : 10542192  
以前的产品ID : 900565.G050

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 5 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=6,00mm

产品ID : 10974591  
以前的产品ID : 900565.G060

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 6 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=7,00mm

产品ID : 10015322  
以前的产品ID : 900565.G070

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=8,00mm

产品ID : 10190456  
以前的产品ID : 900565.G080

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=9,00mm

产品ID : 10191300  
以前的产品ID : 900565.G090

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=10,00mm

产品ID : 10224878  
以前的产品ID : 900565.G100

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>10 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=11,00mm

产品ID : 11077424  
以前的产品ID : 900565.G110

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>11 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=12,00mm

产品ID : 10661028  
以前的产品ID : 900565.G120

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>12 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=13,00mm

产品ID : 10866644  
以前的产品ID : 900565.G130

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>13 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=14,00mm

产品ID : 10085252  
以前的产品ID : 900565.G140

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>14 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=15,00mm

产品ID : 10387910  
以前的产品ID : 900565.G150

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>15 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=16,00mm

产品ID : 10216820  
以前的产品ID : 900565.G160

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>16 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=17,00mm

产品ID : 10030557  
以前的产品ID : 900565.G170

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>17 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=18,00mm

产品ID : 10376222  
以前的产品ID : 900565.G180

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>18 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=19,00mm

产品ID : 10245914  
以前的产品ID : 900565.G190

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>19 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=20,00mm

产品ID : 10817939  
以前的产品ID : 900565.G200

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>20 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=21,00mm

产品ID : 10453824  
以前的产品ID : 900565.G210

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>21 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=22,00mm

产品ID : 10755980  
以前的产品ID : 900565.G220

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 22 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=23,00mm

产品ID : 10365612  
以前的产品ID : 900565.G230

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 23 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=24,00mm

产品ID : 10875901  
以前的产品ID : 900565.G240

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 24 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=25,00mm

产品ID : 10649880  
以前的产品ID : 900565.G250

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 25 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=26,00mm

产品ID : 10924313  
以前的产品ID : 900565.G260

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 26 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=27,00mm

产品ID : 10351148  
以前的产品ID : 900565.G270

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 27 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=28,00mm

产品ID : 10434870  
以前的产品ID : 900565.G280

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 28 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=29,00mm

产品ID : 10091067  
以前的产品ID : 900565.G290

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 29 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=30,00mm

产品ID : 10398942  
以前的产品ID : 900565.G300

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 30 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=31,00mm

产品ID : 10401326  
以前的产品ID : 900565.G310

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 31 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=32,00mm

产品ID : 10182841  
以前的产品ID : 900565.G320

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 32 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=33,00mm

产品ID : 10333080  
以前的产品ID : 900565.G330

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 33 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=34,00mm

产品ID : 10386770  
以前的产品ID : 900565.G340

Clamping device size <b>SK65</b>	manufacturer product line TOPlus chuck	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>34 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=35,00mm

产品ID : 10585990  
以前的产品ID : 900565.G350

Clamping device size <b>SK65</b>	manufacturer product line TOPlus chuck	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>35 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=36,00mm

产品ID : 10420614  
以前的产品ID : 900565.G360

Clamping device size <b>SK65</b>	manufacturer product line TOPlus chuck	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>36 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=37,00mm

产品ID : 10271460  
以前的产品ID : 900565.G370

Clamping device size <b>SK65</b>	manufacturer product line TOPlus chuck	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>37 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=38,00mm

产品ID : 10827173  
以前的产品ID : 900565.G380

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>38 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=39,00mm

产品ID : 11068800  
以前的产品ID : 900565.G390

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>39 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=40,00mm

产品ID : 10174565  
以前的产品ID : 900565.G400

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>40 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=41,00mm

产品ID : 10990285  
以前的产品ID : 900565.G410

Clamping device size <b>SK65</b>	manufacturer product line <b>TOPlus chuck</b>	Clamping type <b>smooth</b>	Nominal diameter (mm) <b>41 Millimeter</b>
Clamping method <b>External clamping</b>	manufacturer product line <b>Hainbuch</b>		

### Testa di serraggio TOP65 G D=42,00mm

产品ID : 10244210  
以前的产品ID : 900565.G420

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 42 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=43,00mm

产品ID : 10181135  
以前的产品ID : 900565.G430

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 43 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=44,00mm

产品ID : 11029256  
以前的产品ID : 900565.G440

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 44 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=45,00mm

产品ID : 10857184  
以前的产品ID : 900565.G450

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 45 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=46,00mm

产品ID：10704556  
以前的产品ID：900565.G460

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 46 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Testa di serraggio TOP65 G D=47,00mm

产品ID：10198937  
以前的产品ID：900565.G470

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 47 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=48,00mm

产品ID：10692311  
以前的产品ID：900565.G480

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 48 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=49,00mm

产品ID：10362760  
以前的产品ID：900565.G490

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 49 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=50,00mm

产品ID：10312479  
以前的产品ID：900565.G500

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 50 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=51,00mm

产品ID：10680051  
以前的产品ID：900565.G510

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 51 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=52,00mm

产品ID：10904617  
以前的产品ID：900565.G520

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 52 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=53,00mm

产品ID：10031538  
以前的产品ID：900565.G530

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 53 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=54,00mm

产品ID：10537946  
以前的产品ID：900565.G540

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 54 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=55,00mm

产品ID：10711577  
以前的产品ID：900565.G550

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 55 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=56,00mm

产品ID：10688076  
以前的产品ID：900565.G560

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 56 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=57,00mm

产品ID：10484931  
以前的产品ID：900565.G570

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 57 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=58,00mm

产品ID：10636437  
以前的产品ID：900565.G580

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 58 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=59,00mm

产品ID：10691089  
以前的产品ID：900565.G590

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 59 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=60,00mm

产品ID：10633581  
以前的产品ID：900565.G600

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 60 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=61,00mm

产品ID：10296772  
以前的产品ID：900565.G610

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 61 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=62,00mm

产品ID：10416833  
以前的产品ID：900565.G620

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 62 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=63,00mm

产品ID：10373217  
以前的产品ID：900565.G630

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 63 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=64,00mm

产品ID：10524923  
以前的产品ID：900565.G640

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 64 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Testa di serraggio TOP65 G D=65,00mm

产品ID：10612390  
以前的产品ID：900565.G650

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 平滑	名义直径 (mm) 65 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=5,00mm

产品ID：10060347  
以前的产品ID：900565.R050

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 5 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=6,00mm

产品ID：10912119  
以前的产品ID：900565.R060

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 6 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=7,00mm

产品ID：10379194  
以前的产品ID：900565.R070

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 7 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=8,00mm

产品ID：10390927  
以前的产品ID：900565.R080

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 8 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=9,00mm

产品ID：11020883  
以前的产品ID：900565.R090

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 9 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=10,00mm

产品ID：10620887  
以前的产品ID：900565.R100

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 10 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=11,00mm

产品ID：10426765  
以前的产品ID：900565.R110

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 11 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=12,00mm

产品ID：10770041  
以前的产品ID：900565.R120

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 12 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=13,00mm

产品ID：10233324  
以前的产品ID：900565.R130

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 13 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=14,00mm

产品ID：10381736  
以前的产品ID：900565.R140

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 14 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=15,00mm

产品ID：10565124  
以前的产品ID：900565.R150

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 15 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=16,00mm

产品ID：10490132  
以前的产品ID：900565.R160

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 16 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=17,00mm

产品ID：11012494  
以前的产品ID：900565.R170

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 17 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=18,00mm

产品ID：10159550  
以前的产品ID：900565.R180

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 18 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=19,00mm

产品ID：11030824  
以前的产品ID：900565.R190

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 19 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=20,00mm

产品ID：10262515  
以前的产品ID：900565.R200

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 20 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=21,00mm

产品ID：10122419  
以前的产品ID：900565.R210

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 21 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=22,00mm

产品ID：10937055  
以前的产品ID：900565.R220

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 22 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=23,00mm

产品ID：10035683  
以前的产品ID：900565.R230

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 23 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=24,00mm

产品ID：10870713  
以前的产品ID：900565.R240

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 24 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=25,00mm

产品ID：10818470  
以前的产品ID：900565.R250

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 25 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=26,00mm

产品ID：11023414  
以前的产品ID：900565.R260

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 26 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=27,00mm

产品ID：10198813  
以前的产品ID：900565.R270

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 27 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=28,00mm

产品ID：11054390  
以前的产品ID：900565.R280

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 28 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=29,00mm

产品ID：10568257  
以前的产品ID：900565.R290

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 29 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=30,00mm

产品ID：10166609  
以前的产品ID：900565.R300

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 30 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=31,00mm

产品ID：10364473  
以前的产品ID：900565.R310

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 31 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=32,00mm

产品ID：10700044  
以前的产品ID：900565.R320

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 32 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=33,00mm

产品ID：10525637  
以前的产品ID：900565.R330

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 33 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### Tete de serrage TOP65 D=34,00mm

产品ID：10830038  
以前的产品ID：900565.R340

夹具尺寸 SK65	外购生产线 TOPlus卡盘	夹紧型式 开槽	名义直径 (mm) 34 Millimeter
夹紧方法 外部夹紧	外购生产线 Hainbuch		

### HAINBUCH GREASE 2085/0003

产品ID：10825733  
以前的产品ID：373241.1021

外购生产线 SPANNTOP nova卡盘 • SPANNTOP mini卡盘 • TOPlus卡盘 • TOPlus mini卡盘 • 带限位的 TOPlus卡盘	夹紧方法 外部夹紧	外购生产线 Hainbuch
---	--------------	-------------------

其他附件

### Testa di serraggio TOP65 HSW D=5,00mm top65hswr5,0

产品ID：10918749  
以前的产品ID：900565.W050