


## Change parts

### Technical data

<b>INDEX TRAUB products</b>	TNL18
<b>Spindle clearance</b>	20mm
<b>Machining side</b>	Main spindle
<b>Spindle mounting</b>	Taper 1:4
<b>Clamping device size</b>	145E/F25



No 3-side view is currently available for this product

## Documents

No downloads available for this product

## Accessories

### Optional accessories

#### Schlenker clamping tools

#### [Clamping collet 1212E/F16 Ø=13,00](#)

Product ID : 10480338

Previous product ID : 900196.R130UP

#### [Clamping collet 1212E/F16 Ø=13,00](#)

Product ID : 10223757

Previous product ID : 900196.G130UP

#### [Clamping collet 1212E/F16 Ø=6,00](#)

Product ID : 10721254

Previous product ID : 900196.R060UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 6 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

#### [Clamping collet 1212E/F16 Ø=7,00](#)

Product ID : 10518651

Previous product ID : 900196.R070UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=8,00

Product ID : 10889185

Previous product ID : 900196.R080UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=9,00

Product ID : 10572010

Previous product ID : 900196.R090UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=10,00

Product ID : 10918067

Previous product ID : 900196.R100UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 10 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=11,00

Product ID : 10232071

Previous product ID : 900196.R110UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=12,00

Product ID : 10188874

Previous product ID : 900196.R120UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=4,00

Product ID : 10604251

Previous product ID : 900196.G040UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 4 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=5,00

Product ID : 10591246

Previous product ID : 900196.G050UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 5 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=6,00

Product ID : 10940678

Previous product ID : 900196.G060UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 6 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=7,00

Product ID : 10706708

Previous product ID : 900196.G070UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=8,00

Product ID : 10586688

Previous product ID : 900196.G080UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=9,00

Product ID : 10253110

Previous product ID : 900196.G090UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=10,00

Product ID : 10563782

Previous product ID : 900196.G100UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 10 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet 1212E/F16 Ø=11,00

Product ID : 10180890

Previous product ID : 900196.G110UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet 1212E/F16 Ø=12,00

Product ID : 10847038

Previous product ID : 900196.G120UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	