


Basic holder MS16/MS22 Hydraulic expan.


Technical features

Slide system MS	MS16/MS22
Drive	not live
Fixation MS	Splined key/pin
Mounting	Hydraulic expan. Chuck D28.5
X [mm]	82.3 (3.24")
Y [mm]	—
Z [mm]	50 (1.97)
INDEX TRAUB products	MS16-6 • MS22-6 • MS22-8



Note

I, II, and III correspond to the respective groove in the slide plate!
Can be used only for cross units with fixed X axis and NC-controlled Z axis!



Documents

Product notes

[DE \(pdf\)](#)

[EN \(pdf\)](#)

[FR \(pdf\)](#)

Accessories

Optional accessories

MS tool holders

[Blanking plug](#)

Product ID : 12013851

Previous product ID :

Drive not live	Fixation MS Clamping ring D28.5	X [mm] —	Y [mm] —
Z [mm] —			

[Calibrating tool](#)

Product ID : 12088616

Previous product ID :

Drive not live	Fixation MS Clamping ring D28.5	X [mm] —	Y [mm] —
Z [mm] —	INDEX TRAUB products MS24-6 • MS16-6 • MS22-6 • MS22-8		

Other accessories

[Not defined Standard MS22](#)

Product ID : 10132929

Previous product ID : WM3100.3150F