

Headstock

Technical data

Spindle clearance	65mm
INDEX TRAUB products	ABC

No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Schweiger

[Plug](#)

Product ID : 10601867

Previous product ID : 483241.0251

Electrical assemblies Connector	Length 20 Millimeter	Width 18 Millimeter	Number of wires/poles (ST) 5 Piece
Plug connection/type M12	Protection class IP67		

[O-Ring](#)

Product ID : 10271812

Previous product ID : 483024.8001

Electrical assemblies Screw connection, inlet	Inner diameter (mm) 9 Millimeter	Material FKM	
--	-------------------------------------	-----------------	--

[Plug](#)

Product ID : 10202926

Previous product ID : 483645.1615

Electrical assemblies Screw connection, inlet	Inner diameter (mm) 16 Millimeter	Outer diameter (mm) 22 Millimeter	Material Plastic
--	--------------------------------------	--------------------------------------	---------------------

[Cabel coupling](#)

Product ID : 11072780

Previous product ID : 483689.3215

Electrical assemblies Screw connection, inlet	Inner diameter (mm) 21 Millimeter	Outer diameter (mm) 36 Millimeter	Protection class IP68 / IPx8
Material Metal			

Cabel coupling

Product ID : 10848666

Previous product ID : 483689.4015

Electrical assemblies	Inner diameter (mm)	Outer diameter (mm)	Material
Screw connection, inlet	28 Millimeter	45 Millimeter	Metal

Plug

Product ID : 10500152

Previous product ID : 483645.4015

Electrical assemblies	Inner diameter (mm)	Outer diameter (mm)	Material
Screw connection, inlet	40 Millimeter	46 Millimeter	Plastic

Wire H07V-K 16,0 GN-YE

Product ID : 10840065

Previous product ID : 383131.1600

Electrical assemblies	Cross-section	Voltage	Outer diameter (mm)
Wire	16 Square millimeter	300 Volt • 750 Volt	8.8 Millimeter
green/yellow	Insulating material		
	PVC		

Core cable end

Product ID : 10931386

Previous product ID : 483554.16

Electrical assemblies	Length	Cross-section	SR - silver
Wire end preparation	12 Millimeter	16 Square millimeter	

Cable shoe 6/16

Product ID : 10308963

Previous product ID : 483505.0621

Electrical assemblies	Length	Cross-section	SR - silver
Wire end preparation	27 Millimeter	16 Square millimeter	

Other accessories

[Seal 2x98x112](#)

Product ID : 10217882
Previous product ID : T91041.50

[Cable strip cabinet](#)

Product ID : 10083819
Previous product ID : P61001.20

[Cylinder head screw 12.9 M6x18 4762](#)

Product ID : 10369026
Previous product ID : 410260.0618

[Notched disc A 6,4 A2K 6797 A 6,3 A2K](#)

Product ID : 10512443
Previous product ID : 419875.06

[Washer St B 6,4 A2K 125 B 6,4 A2K](#)

Product ID : 10343786
Previous product ID : 419012.06

[Lens head screw M6x10/T30 galvanised](#)

Product ID : 10956775
Previous product ID : 410243.0610

[Cover](#)

Product ID : 12025096
Previous product ID :

[Washer St B 5,3 burnished 125 B 5,3 brueniert](#)

Product ID : 11076821
Previous product ID : 419010.05

[Cheese-head screw](#)

Product ID : 10843957
Previous product ID : 410243.0512

[Hydr.hollow chuck.cyli.](#)

Product ID : 12077978
Previous product ID :

[SOCKET HD.SCREW 8X40](#)

Product ID : 10675076
Previous product ID : 410260.0840

[SOCKET HD.SCREW 8X30](#)

Product ID : 10518676
Previous product ID : 410260.0830

[Plate 45x23x8](#)

Product ID : 10908111
Previous product ID : L61001.50

[Screw cap 438 SW 3tlg DKO 10L G1/4Z-WD Schwenkversch DKO](#)

Product ID : 10464117
Previous product ID : 471657.10

[Multiple swivel joint 10L R3/8Z-WD Schwenkverschrbg](#)

Product ID : 11027489
Previous product ID : 470659.1002

[Chucking tube](#)

Product ID : 10689633
Previous product ID : L71512.90

Housing

Product ID : 10822526
Previous product ID : L31501.60

Ring D165XD193X5 für D60 und D65 SPZ

Product ID : 10426949
Previous product ID : L61071.50

Pipe connector

Product ID : 10477756
Previous product ID : 470607.10

UNION EW-L10 EW 10-L/OMD 310

Product ID : 11037530
Previous product ID : 470600.10

Connection piece 10L DKO/CE 45 GRAD

Product ID : 10271573
Previous product ID : 470520.1045
