
Change parts

Technical data



INDEX TRAUB产品	TNL18
主轴通孔	18mm
加工端	主主轴 • 副主轴
主轴接口	锥度 1:4
夹具尺寸	1212E/F16

No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Schlenker clamping tools

Clamping collet

Product ID : 10480338
Previous product ID : 900196.R130UP

Clamping collet

Product ID : 10223757
Previous product ID : 900196.G130UP

Clamping collet

Product ID : 10604251
Previous product ID : 900196.G040UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	4 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10591246
Previous product ID : 900196.G050UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	5 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10940678
Previous product ID : 900196.G060UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	6 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10706708
Previous product ID : 900196.G070UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	7 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10586688
Previous product ID : 900196.G080UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	8 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10253110
Previous product ID : 900196.G090UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	9 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10563782
Previous product ID : 900196.G100UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	10 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10180890
Previous product ID : 900196.G110UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	11 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10847038
Previous product ID : 900196.G120UP

夹具尺寸	外购生产线	夹紧型式	名义直径（mm）
1212E/F16		平滑	12 Millimeter
夹紧方法	**夹头类型**	**外购生产线**	
外部夹紧	槽经硫化处理（Stdrd）	Schlenker	

Clamping collet

Product ID : 10721254
Previous product ID : 900196.R060UP

Clamping device size	manufacturer product line	Clamping type	Nominal diameter (mm)
1212E/F16		grooved	6 Millimeter
Clamping method	**Collet version**	**manufacturer product line**	
External clamping	Slots vulcanized (standard)	Schlenker	

Clamping collet

Product ID : 10518651
Previous product ID : 900196.R070UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet

Product ID : 10889185
Previous product ID : 900196.R080UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet

Product ID : 10572010
Previous product ID : 900196.R090UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet

Product ID : 10918067
Previous product ID : 900196.R100UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 10 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet

Product ID : 10232071
Previous product ID : 900196.R110UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet

Product ID : 10188874
Previous product ID : 900196.R120UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	