

---

## 主轴减少 13mm

### Technical data

INDEX TRAUB产品	MS16-6
功能 (部件)	主轴减少
棒料上料器	IEMCA NEXT 25 • INDEX 棒料导向器 3300 • INDEX 棒料导向器 3800
不采用钻削装置时的材料直径	12 Millimeter

No 3-side view is currently available for this product

---

## Documents

No downloads available for this product

## Accessories

Optional accessories

### Collets and guide bushings

#### [Clamping head SK16 D=12,00mm](#)

Product ID : 11061244

Previous product ID : 900416.R120

Clamping device size SK16	manufacturer product line SPANNTOP nova chuck	Clamping type grooved	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

### Spindle liners

#### [扳手,16 mm,22 mm Demontage FZ-Rohre MS16](#)

Product ID : 10284753

Previous product ID : 925010.9001

---

#### [主轴加长件](#)

Product ID : 10340181

Previous product ID : M90561.30

---

#### [Key,16 mm \(0.63 "\) S20](#)

Product ID : 10674612

Previous product ID : 900416.8121

---

### Bearing half-shells 13mm

Product ID : 10252221

Previous product ID : 925042.1300

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Bearing half-shells	Bar loading magazine IEMCA NEXT 25	Bar diameter w/o drilling unit 11 Millimeter • 12 Millimeter
--	---	---------------------------------------	---

### Fixture

Product ID : 11014344

Previous product ID : 900416.8162

INDEX TRAUB products MS16-6	Function (Component) Fixture	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 4 Millimeter • 5 Millimeter • 6 Millimeter • 7 Millimeter • 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter
--------------------------------	---------------------------------	---	--

### Inner tension tong RS20,12,00 mm

Product ID : 11037023

Previous product ID : 925210.0120

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Inner tension tong RS20	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 12 Millimeter
--	--	---	--

---

### Outer tension tong RS20

Product ID : 10797583

Previous product ID : 900416.8210

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Outer tension tong RS20	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter
--	--	---	--

### 变径套 13mm

Product ID : 10223736

Previous product ID : 925041.1300

INDEX TRAUB products MS16-6	Function (Component) Reduction bushing	Bar loading magazine IEMCA NEXT 25	Bar diameter w/o drilling unit 12 Millimeter
--------------------------------	---	---------------------------------------	--

### **Other accessories**

#### 主轴加长件

Product ID : 10140416

Previous product ID : M90562.40

---

### Feed force tester MS16C

Product ID : 10813724

Previous product ID : GM2901.9417

---