


## 3-jaw chuck

### Technical data

<b>INDEX TRAUB products</b>	MS22-6 • MS22-8
<b>Spindle clearance</b>	22mm
<b>Machining side</b>	Main spindle
<b>manufacturer product line</b>	KFD-HS80/3
<b>Spindle mounting</b>	IP46
<b>manufacturer product line</b>	Roehm



No 3-side view is currently available for this product

---

## Documents

No downloads available for this product

## Accessories

### Optional accessories

#### O-Rings

#### [O-RING 14X1,8 75SH](#)

Product ID : 10442450

Previous product ID : 479103.0141

manufacturer product line Trelleborg	TSS material no.	Cord size 1.78 Millimeter	manufacturer product line O-ring
---	------------------	------------------------------	-------------------------------------

#### Other accessories

#### [JAWS D5-D24, für KFD-HS 80/3](#)

Product ID : 10827633

Previous product ID : 498121.0561

---

#### [Socket head screw](#)

Product ID : 10417875

Previous product ID : 410260.0616

---

#### [Adaptor](#)

Product ID : 10038172

Previous product ID : M14021.50

---

#### [Socket head screw](#)

Product ID : 10727953

Previous product ID : 410260.0614

---

10309131  
908127.3131

**INDEX**

---

[Shaft packing PGYD022556-T40/OR12500900V70GA](#)

Product ID : 10302399

Previous product ID : 479160.0142

---

[Boring fixture für MS22 HSP, KFD-HS 80/3](#)

Product ID : 10514451

Previous product ID : 908127.8271

---