

Spindle liner 10mm

Technical data

| | |
|---------------------------------------|--|
| INDEX TRAUB products | MS16-6 |
| Function (Component) | Spindle liner |
| Bar loading magazine | IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800 |
| Bar diameter w/o drilling unit | 9 Millimeter |

No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Collets and guide bushings

[Clamping head SK16 D=9,00mm](#)

Product ID : 10561847

Previous product ID : 900416.R090

| | | | |
|--------------------------------------|---|--------------------------|--|
| Clamping device size SK16 | manufacturer product line SPANNTOP nova chuck | Clamping type grooved | Nominal diameter (mm) 9 Millimeter |
| Clamping method External clamping | manufacturer product line Hainbuch | | |

Spindle liners

[Key,16 mm \(0.63 "\) ,22 mm Demontage FZ-Rohre MS16](#)

Product ID : 10284753

Previous product ID : 925010.9001

[Spindle extension](#)

Product ID : 10340181

Previous product ID : M90561.30

[Key,16 mm \(0.63 "\) S20](#)

Product ID : 10674612

Previous product ID : 900416.8121

Bearing half-shells 11mm

Product ID : 10334761

Previous product ID : 925042.1100

| | | | |
|--|---|---------------------------------------|--|
| INDEX TRAUB products MS16-6 • MS16-6 Plus | Function (Component) Bearing half-shells | Bar loading magazine IEMCA NEXT 25 | Bar diameter w/o drilling unit 9 Millimeter • 10 Millimeter |
|--|---|---------------------------------------|--|

Fixture

Product ID : 11014344

Previous product ID : 900416.8162

| | | | |
|--------------------------------|---------------------------------|---|--|
| INDEX TRAUB products MS16-6 | Function (Component) Fixture | Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800 | Bar diameter w/o drilling unit 4 Millimeter • 5 Millimeter • 6 Millimeter • 7 Millimeter • 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter |
|--------------------------------|---------------------------------|---|--|

Inner tension tong RS20,9,00 mm

Product ID : 10052640

Previous product ID : 925210.0090

| | | | |
|--|--|---|---|
| INDEX TRAUB products MS16-6 • MS16-6 Plus | Function (Component) Inner tension tong RS20 | Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800 | Bar diameter w/o drilling unit 9 Millimeter |
|--|--|---|---|

Outer tension tong RS20

Product ID : 10797583

Previous product ID : 900416.8210

| | | | |
|--|--|---|--|
| INDEX TRAUB products MS16-6 • MS16-6 Plus | Function (Component) Outer tension tong RS20 | Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800 | Bar diameter w/o drilling unit 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter |
|--|--|---|--|

Reduction bushing 10mm

Product ID : 10071767

Previous product ID : 925041.1000

| | | | |
|--------------------------------|---|---------------------------------------|---|
| INDEX TRAUB products MS16-6 | Function (Component) Reduction bushing | Bar loading magazine IEMCA NEXT 25 | Bar diameter w/o drilling unit 9 Millimeter |
|--------------------------------|---|---------------------------------------|---|

Other accessories

Spindle extension

Product ID : 10140416

Previous product ID : M90562.40

Feed force tester MS16C

Product ID : 10813724

Previous product ID : GM2901.9417
