

Futter-TOPlus AXFIX D40 MS40 A013896.0009C Fa. Hainbuch

Technical data

There are currently no additional technical features stored for this product



No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Other accessories

[Grasso lubrificazione pinza ma](#)

Product ID : 10825733

Previous product ID : 373241.1021

Lin. prod. di altri
produtt.
Mandrino SPANNTOP
nova • Mandrino
SPANNTOP mini •
Mandrino TOPlus •
Mandrino TOPlus mini
• Mandrino TOPlus con
arresto

Metodo di serraggio
Serraggio esterno

Lin. prod. di altri
produtt.
Hainbuch

[Testa di serraggio Top40 D=20,00mm](#)

Product ID : 10619926

Previous product ID : 900540.G200

Altezza mont. sistema
serr.
SK40

Lin. prod. di altri
produtt.
Mandrino TOPlus

Tipo di serraggio
liscio

Diametro nominale
(mm)
20 Millimeter

Metodo di serraggio
Serraggio esterno

Lin. prod. di altri
produtt.
Hainbuch

Testa di serraggio Top40 D=21,00mm

Product ID : 10296181

Previous product ID : 900540.G210

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 21 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=22,00mm

Product ID : 10587282

Previous product ID : 900540.G220

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 22 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=23,00mm

Product ID : 10377797

Previous product ID : 900540.G230

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 23 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=24,00mm

Product ID : 10427846

Previous product ID : 900540.G240

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 24 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=25,00mm

Product ID : 10278255

Previous product ID : 900540.G250

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 25 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=26,00mm

Product ID : 10230327

Previous product ID : 900540.G260

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 26 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=27,00mm

Product ID : 10803404

Previous product ID : 900540.G270

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 27 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=28,00mm

Product ID : 10721070

Previous product ID : 900540.G280

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 28 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=29,00mm

Product ID : 10417719

Previous product ID : 900540.G290

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 29 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=30,00mm

Product ID : 10667789

Previous product ID : 900540.G300

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 30 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=31,00mm

Product ID : 11055154

Previous product ID : 900540.G310

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 31 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=32,00mm

Product ID : 10979360

Previous product ID : 900540.G320

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 32 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=33,00mm

Product ID : 10308260

Previous product ID : 900540.G330

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 33 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=34,00mm

Product ID : 10658803

Previous product ID : 900540.G340

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 34 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=35,00mm

Product ID : 10353026

Previous product ID : 900540.G350

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 35 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=36,00mm

Product ID : 10580492

Previous product ID : 900540.G360

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 36 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=37,00mm

Product ID : 10891853

Previous product ID : 900540.G370

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 37 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=38,00mm

Product ID : 10688500

Previous product ID : 900540.G380

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 38 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=39,00mm

Product ID : 10630171

Previous product ID : 900540.G390

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 39 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Testa di serraggio Top40 D=40,00mm

Product ID : 10866398

Previous product ID : 900540.G400

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Tipo di serraggio liscio	Diametro nominale (mm) 40 Millimeter
Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch		

Dispositivo

Product ID : 10395191

Previous product ID : 900540.8201

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch
-------------------------------------	---	--	--

Dispos. di montaggio

Product ID : 10627030

Previous product ID : 900440.8901

Altezza mont. sistema serr. SK40	Lin. prod. di altri produtt. Mandrino TOPlus	Metodo di serraggio Serraggio esterno	Lin. prod. di altri produtt. Hainbuch
-------------------------------------	---	--	--

Clamping head Top40 D=12,00mm

Product ID : 10746831

Previous product ID : 900540.R120

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=13,00mm

Product ID : 10777022

Previous product ID : 900540.R130

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 13 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=14,00mm

Product ID : 10635332

Previous product ID : 900540.R140

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 14 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=15,00mm

Product ID : 10908961

Previous product ID : 900540.R150

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 15 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=16,00mm

Product ID : 10983738

Previous product ID : 900540.R160

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 16 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=17,00mm

Product ID : 10339652

Previous product ID : 900540.R170

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 17 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=18,00mm

Product ID : 10713043

Previous product ID : 900540.R180

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 18 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=19,00mm

Product ID : 10635447

Previous product ID : 900540.R190

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 19 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=20,00mm

Product ID : 10972614

Previous product ID : 900540.R200

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 20 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=21,00mm

Product ID : 10809470

Previous product ID : 900540.R210

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 21 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=22,00mm

Product ID : 10438805

Previous product ID : 900540.R220

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 22 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=23,00mm

Product ID : 10205000

Previous product ID : 900540.R230

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 23 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=24,00mm

Product ID : 10293540

Previous product ID : 900540.R240

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 24 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=25,00mm

Product ID : 10902006

Previous product ID : 900540.R250

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 25 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=26,00mm

Product ID : 10438918

Previous product ID : 900540.R260

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 26 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=27,00mm

Product ID : 10945009

Previous product ID : 900540.R270

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 27 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=28,00mm

Product ID : 10770270

Previous product ID : 900540.R280

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 28 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=29,00mm

Product ID : 10993009

Previous product ID : 900540.R290

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 29 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=30,00mm

Product ID : 10307855

Previous product ID : 900540.R300

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 30 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=31,00mm

Product ID : 10059155

Previous product ID : 900540.R310

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 31 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=32,00mm

Product ID : 10151623

Previous product ID : 900540.R320

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 32 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=33,00mm

Product ID : 10704332

Previous product ID : 900540.R330

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 33 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=34,00mm

Product ID : 10285167

Previous product ID : 900540.R340

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 34 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=35,00mm

Product ID : 10832450

Previous product ID : 900540.R350

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 35 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=36,00mm

Product ID : 10564764

Previous product ID : 900540.R360

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 36 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=37,00mm

Product ID : 10643677

Previous product ID : 900540.R370

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 37 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=38,00mm

Product ID : 10575033

Previous product ID : 900540.R380

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 38 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=39,00mm

Product ID : 10893428

Previous product ID : 900540.R390

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 39 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=40,00mm

Product ID : 10748353

Previous product ID : 900540.R400

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 40 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=12,00mm

Product ID : 11061920

Previous product ID : 900540.G120

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=13,00mm

Product ID : 10829082

Previous product ID : 900540.G130

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 13 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=14,00mm

Product ID : 10964026

Previous product ID : 900540.G140

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 14 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=15,00mm

Product ID : 10263692

Previous product ID : 900540.G150

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 15 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=16,00mm

Product ID : 10959117

Previous product ID : 900540.G160

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 16 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=17,00mm

Product ID : 10353325

Previous product ID : 900540.G170

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 17 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=18,00mm

Product ID : 11049041

Previous product ID : 900540.G180

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 18 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head Top40 D=19,00mm

Product ID : 10079368

Previous product ID : 900540.G190

Clamping device size SK40	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 19 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		