


## Drilling unit Circular prism 1:3,85 WFB


### Technical features

|                             |                          |
|-----------------------------|--------------------------|
| <b>Shank TNL</b>            | Circular prism           |
| <b>Drive</b>                | Overall drive            |
| <b>Fixation TNL</b>         | Central tensioning screw |
| <b>Speed ratio</b>          | 1:3,85                   |
| <b>Cooling</b>              | external                 |
| <b>Pressure</b>             | 30 bar                   |
| <b>Mounting</b>             | WFB 20-12                |
| <b>INDEX TRAUB products</b> | TNK36 • TNL26            |



### Note

No dry-run permitted!



---

## Documents

### Product notes

[DE \(pdf\)](#)

[EN \(pdf\)](#)

[FR \(pdf\)](#)

[PT \(pdf\)](#)

## Accessories

### Optional accessories

#### Other accessories

##### [Nozzle](#)

Product ID : 10693279

Previous product ID : 835949

---

##### [Countersunk screw](#)

Product ID : 10218470

Previous product ID : 410330.0306

---

##### [Adapter WFB 20-12 shrinking](#)

Product ID : 10477939

Previous product ID : 904006

---

##### [Adapter WFB 20-12 Weldon](#)

Product ID : 10221340

Previous product ID : 904007

---

##### [Adapter WFB 20-12 with collet mounting](#)

Product ID : 10625654

Previous product ID : 904008

---

---

[adapter WFB 20-12 mill arbor mounting](#)

Product ID : 10489061

Previous product ID : 904009

---

[Adapter WFB 20-12 Hydr. expansion chuck](#)

Product ID : 10566889

Previous product ID : 904010

---

[WFB for Turning tool holder](#)

Product ID : 10146029

Previous product ID : 904011

---

[WFB for tap chuck](#)

Product ID : 11004600

Previous product ID : WZ9990.9613F

---

[WFB miscellaneous mountings](#)

Product ID : 10243177

Previous product ID : WZ9990.9612F

---

[TORX SCREW M6 X 7MM M 6x1x7](#)

Product ID : 10004947

Previous product ID : 326171

---