
INDEX

Jaw chuck

Technical data



INDEX TRAUB products	C200
Spindle clearance	65mm
Machining side	Main spindle
Ext. manufact. product feature	Kombi Axzug
manufacturer product line	TOPlus chuck mini
Spindle mounting	AP140
Clamping device size	SK65
manufacturer product line	Hainbuch

No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Other accessories

Cabecote de sujeicao TOP65 D=6,00mm

Product ID : 10912119
Previous product ID : 900565.R060

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 6 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=7,00mm

Product ID : 10379194
Previous product ID : 900565.R070

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=8,00mm

Product ID : 10390927
Previous product ID : 900565.R080

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=9,00mm

Product ID : 11020883
Previous product ID : 900565.R090

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=10,00mm

Product ID : 10620887
Previous product ID : 900565.R100

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 10 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=11,00mm

Product ID : 10426765
Previous product ID : 900565.R110

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=12,00mm

Product ID : 10770041
Previous product ID : 900565.R120

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=13,00mm

Product ID : 10233324
Previous product ID : 900565.R130

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 13 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=14,00mm

Product ID : 10381736
Previous product ID : 900565.R140

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 14 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=15,00mm

Product ID : 10565124
Previous product ID : 900565.R150

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 15 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=16,00mm

Product ID : 10490132
Previous product ID : 900565.R160

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 16 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=17,00mm

Product ID : 11012494
Previous product ID : 900565.R170

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 17 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=18,00mm

Product ID : 10159550
Previous product ID : 900565.R180

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 18 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=19,00mm

Product ID : 11030824
Previous product ID : 900565.R190

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 19 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=20,00mm

Product ID : 10262515
Previous product ID : 900565.R200

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 20 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=21,00mm

Product ID : 10122419
Previous product ID : 900565.R210

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 21 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=22,00mm

Product ID : 10937055
Previous product ID : 900565.R220

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 22 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=23,00mm

Product ID : 10035683
Previous product ID : 900565.R230

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 23 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=24,00mm

Product ID : 10870713
Previous product ID : 900565.R240

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 24 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=25,00mm

Product ID : 10818470
Previous product ID : 900565.R250

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 25 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=26,00mm

Product ID : 11023414
Previous product ID : 900565.R260

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 26 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=27,00mm

Product ID : 10198813
Previous product ID : 900565.R270

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 27 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=28,00mm

Product ID : 11054390
Previous product ID : 900565.R280

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 28 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=29,00mm

Product ID : 10568257
Previous product ID : 900565.R290

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 29 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=30,00mm

Product ID : 10166609
Previous product ID : 900565.R300

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 30 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=31,00mm

Product ID : 10364473
Previous product ID : 900565.R310

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 31 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=32,00mm

Product ID : 10700044
Previous product ID : 900565.R320

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 32 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=33,00mm

Product ID : 10525637
Previous product ID : 900565.R330

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 33 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=34,00mm

Product ID : 10830038
Previous product ID : 900565.R340

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 34 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=35,00mm

Product ID : 10185407
Previous product ID : 900565.R350

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 35 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=36,00mm

Product ID : 10012095
Previous product ID : 900565.R360

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 36 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=37,00mm

Product ID : 10692144
Previous product ID : 900565.R370

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 37 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=38,00mm

Product ID : 10006264
Previous product ID : 900565.R380

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 38 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=39,00mm

Product ID : 10590728
Previous product ID : 900565.R390

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 39 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=40,00mm

Product ID : 10635627
Previous product ID : 900565.R400

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 40 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=41,00mm

Product ID : 10983711
Previous product ID : 900565.R410

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 41 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=42,00mm

Product ID : 10739993
Previous product ID : 900565.R420

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 42 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=43,00mm

Product ID : 10371260
Previous product ID : 900565.R430

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 43 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=44,00mm

Product ID : 10060891
Previous product ID : 900565.R440

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 44 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=45,00mm

Product ID : 10413148
Previous product ID : 900565.R450

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 45 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=46,00mm

Product ID : 10025625
Previous product ID : 900565.R460

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 46 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=47,00mm

Product ID : 10123645
Previous product ID : 900565.R470

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 47 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=48,00mm

Product ID : 10622730
Previous product ID : 900565.R480

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 48 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=49,00mm

Product ID : 10644964
Previous product ID : 900565.R490

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 49 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=50,00mm

Product ID : 10589962
Previous product ID : 900565.R500

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 50 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=51,00mm

Product ID : 10952620
Previous product ID : 900565.R510

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 51 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=52,00mm

Product ID : 10756334
Previous product ID : 900565.R520

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 52 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=53,00mm

Product ID : 10156585
Previous product ID : 900565.R530

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 53 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=54,00mm

Product ID : 10452755
Previous product ID : 900565.R540

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 54 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=55,00mm

Product ID : 10166680
Previous product ID : 900565.R550

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 55 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=56,00mm

Product ID : 10265563
Previous product ID : 900565.R560

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 56 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=57,00mm

Product ID : 10558562
Previous product ID : 900565.R570

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 57 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=58,00mm

Product ID : 10784846
Previous product ID : 900565.R580

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 58 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=59,00mm

Product ID : 11058674
Previous product ID : 900565.R590

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 59 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=60,00mm

Product ID : 10628492
Previous product ID : 900565.R600

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 60 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=61,00mm

Product ID : 10001489
Previous product ID : 900565.R610

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 61 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=62,00mm

Product ID : 10744844
Previous product ID : 900565.R620

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 62 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=63,00mm

Product ID : 10013281
Previous product ID : 900565.R630

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 63 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=64,00mm

Product ID : 10468856
Previous product ID : 900565.R640

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 64 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Cabecote de sujeicao TOP65 D=65,00mm

Product ID : 10372670
Previous product ID : 900565.R650

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 65 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 D=5,00mm

Product ID : 10060347
Previous product ID : 900565.R050

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type grooved	Nominal diameter (mm) 5 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=5,00mm

Product ID : 10542192
Previous product ID : 900565.G050

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 5 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=5,00mm

Product ID : 10974591
Previous product ID : 900565.G060

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 6 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=7,00mm

Product ID : 10015322
Previous product ID : 900565.G070

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=8,00mm

Product ID : 10190456
Previous product ID : 900565.G080

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=9,00mm

Product ID : 10191300
Previous product ID : 900565.G090

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=10,00mm

Product ID : 10224878
Previous product ID : 900565.G100

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 10 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=11,00mm

Product ID : 11077424
Previous product ID : 900565.G110

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=12,00mm

Product ID : 10661028
Previous product ID : 900565.G120

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=13,00mm

Product ID : 10866644
Previous product ID : 900565.G130

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 13 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=14,00mm

Product ID : 10085252
Previous product ID : 900565.G140

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 14 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=15,00mm

Product ID : 10387910
Previous product ID : 900565.G150

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 15 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=16,00mm

Product ID : 10216820
Previous product ID : 900565.G160

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 16 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=17,00mm

Product ID : 10030557
Previous product ID : 900565.G170

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 17 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=18,00mm

Product ID : 10376222
Previous product ID : 900565.G180

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 18 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=19,00mm

Product ID : 10245914
Previous product ID : 900565.G190

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 19 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=20,00mm

Product ID : 10817939
Previous product ID : 900565.G200

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 20 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=21,00mm

Product ID : 10453824
Previous product ID : 900565.G210

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 21 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=22,00mm

Product ID : 10755980
Previous product ID : 900565.G220

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 22 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=23,00mm

Product ID : 10365612
Previous product ID : 900565.G230

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 23 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=24,00mm

Product ID : 10875901
Previous product ID : 900565.G240

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 24 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=25,00mm

Product ID : 10649880
Previous product ID : 900565.G250

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 25 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=26,00mm

Product ID : 10924313
Previous product ID : 900565.G260

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 26 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=27,00mm

Product ID : 10351148
Previous product ID : 900565.G270

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 27 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=28,00mm

Product ID : 10434870
Previous product ID : 900565.G280

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 28 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=29,00mm

Product ID : 10091067
Previous product ID : 900565.G290

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 29 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=30,00mm

Product ID : 10398942
Previous product ID : 900565.G300

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 30 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=31,00mm

Product ID : 10401326
Previous product ID : 900565.G310

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 31 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=32,00mm

Product ID : 10182841
Previous product ID : 900565.G320

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 32 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=33,00mm

Product ID : 10333080
Previous product ID : 900565.G330

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 33 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=34,00mm

Product ID : 10386770
Previous product ID : 900565.G340

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 34 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=35,00mm

Product ID : 10585990
Previous product ID : 900565.G350

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 35 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=36,00mm

Product ID : 10420614
Previous product ID : 900565.G360

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 36 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=37,00mm

Product ID : 10271460
Previous product ID : 900565.G370

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 37 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=38,00mm

Product ID : 10827173
Previous product ID : 900565.G380

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 38 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=39,00mm

Product ID : 11068800
Previous product ID : 900565.G390

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 39 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=40,00mm

Product ID : 10174565
Previous product ID : 900565.G400

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 40 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=41,00mm

Product ID : 10990285
Previous product ID : 900565.G410

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 41 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=42,00mm

Product ID : 10244210
Previous product ID : 900565.G420

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 42 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=43,00mm

Product ID : 10181135
Previous product ID : 900565.G430

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 43 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=44,00mm

Product ID : 11029256
Previous product ID : 900565.G440

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 44 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=45,00mm

Product ID : 10857184
Previous product ID : 900565.G450

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 45 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=46,00mm

Product ID : 10704556
Previous product ID : 900565.G460

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 46 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=47,00mm

Product ID : 10198937
Previous product ID : 900565.G470

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 47 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=48,00mm

Product ID : 10692311
Previous product ID : 900565.G480

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 48 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=49,00mm

Product ID : 10362760
Previous product ID : 900565.G490

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 49 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=50,00mm

Product ID : 10312479
Previous product ID : 900565.G500

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 50 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=51,00mm

Product ID : 10680051
Previous product ID : 900565.G510

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 51 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=52,00mm

Product ID : 10904617
Previous product ID : 900565.G520

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 52 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=53,00mm

Product ID : 10031538
Previous product ID : 900565.G530

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 53 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=54,00mm

Product ID : 10537946
Previous product ID : 900565.G540

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 54 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=55,00mm

Product ID : 10711577
Previous product ID : 900565.G550

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 55 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=56,00mm

Product ID : 10688076
Previous product ID : 900565.G560

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 56 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=57,00mm

Product ID : 10484931
Previous product ID : 900565.G570

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 57 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=58,00mm

Product ID : 10636437
Previous product ID : 900565.G580

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 58 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=59,00mm

Product ID : 10691089
Previous product ID : 900565.G590

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 59 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=60,00mm

Product ID : 10633581
Previous product ID : 900565.G600

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 60 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=61,00mm

Product ID : 10296772
Previous product ID : 900565.G610

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 61 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=62,00mm

Product ID : 10416833
Previous product ID : 900565.G620

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 62 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=63,00mm

Product ID : 10373217
Previous product ID : 900565.G630

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 63 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=64,00mm

Product ID : 10524923
Previous product ID : 900565.G640

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 64 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 G D=65,00mm

Product ID : 10612390
Previous product ID : 900565.G650

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type smooth	Nominal diameter (mm) 65 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 HSW D=8,00mm

Product ID : 10899243
Previous product ID : 900565.W080

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type Soft for custom boring	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 HSW D=20,00mm

Product ID : 10324949
Previous product ID : 900565.W200

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type Soft for custom boring	Nominal diameter (mm) 20 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Clamping head TOP65 HSW D=40,00mm

Product ID : 10322862
Previous product ID : 900565.W400

Clamping device size SK65	manufacturer product line TOPlus chuck	Clamping type Soft for custom boring	Nominal diameter (mm) 40 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

HAINBUCH GREASE 2085/0003

Product ID : 10825733
Previous product ID : 373241.1021

manufacturer product line SPANNTOP nova chuck • SPANNTOP mini chuck • TOPlus chuck • TOPlus chuck mini • TOPlus chuck with end-stop	Clamping method External clamping	manufacturer product line Hainbuch

Other accessories

Clamping head TOP65 HSW D=5,00mm top65hswr5,0

Product ID : 10918749
Previous product ID : 900565.W050