
INDEX

# 3-jaw chuck

## Technical data



| | |
|---|---|
| **INDEX TRAUB products** | MS22-6 • MS22-8 |
| **Spindle clearance** | 22mm |
| **Machining side** | Main spindle |
| **manufacturer product line** | KFD-HS80/3 |
| **Spindle mounting** | IP46 |
| **manufacturer product line** | Roehm |

No 3-side view is currently available for this product

## Documents

No downloads available for this product

## Accessories

### Optional accessories

**O-Rings**

[O-RING 14X1,8 75SH]

Product ID : 10442450
Previous product ID : 479103.0141

| manufacturer product line | TSS material no. | Cord size | manufacturer product line |
|---|---|---|---|
| Trelleborg | | 1.78 Millimeter | O-ring |

**Other accessories**

[JAWS D5-D24, für KFD-HS 80/3]

Product ID : 10827633
Previous product ID : 498121.0561

[Socket head screw]

Product ID : 10417875
Previous product ID : 410260.0616

[Adaptor]

Product ID : 10038172
Previous product ID : M14021.50

[Socket head screw]

Product ID : 10727953
Previous product ID : 410260.0614

## Shaft packing PGYD022556-T40/OR12500900V70GA

Product ID : 10302399
Previous product ID : 479160.0142

## Boring fixture für MS22 HSP, KFD-HS 80/3

Product ID : 10514451
Previous product ID : 908127.8271