




**HSK hydraulic expansion chucks
also for heavy-duty cutting**

HSK hydraulic expansion chucks also for heavy-duty cutting



Besides fine machining operations such as reaming or threading, the robust HSK hydraulic expansion chucks can also be used for heavy-duty volume cutting.

Torque transfer up to 900 Nm with a tool diameter of 20 mm makes the chuck a universal tool mounting in your production machining.

The compact design provides for further stability.

The <3 micron high change accuracy and concentricity, combined with the good damping characteristics of the hydro-expansion technology, not only improve the surface quality of your workpieces but also extend the life of your tools by up to 40%.

The advantages of the HSK hydraulic expansion chuck at a glance:

- universal application from fine machining to heavy-duty volume cutting
- torque transfers up to 900 Nm
- good damping characteristics of the tool clamping
- high change accuracy and concentricity of <3 microns
- high stability due to compact design
- low investment costs
- easy to set up

Please feel free to contact us if you have any further questions +49 711 3191-9854
or visit us online: ixshop.ixworld.com

		Part number	Clamping diameter mm
	Drilling tool holder HSK40	11019398	Ø20
	Drilling tool holder HSK63	10869184	Ø20
	Reduction	10672713	Ø3
		10580052	Ø4
		10450652	Ø5
		10052498	Ø6
		10880268	Ø8
		10422510	Ø10
		10508491	Ø12
		10568223	Ø14
	O-ring	10445247	Ø16

INDEX

LY9002.9587 03.22 Printed in Germany Subject to change without prior notice

INDEX-Werke GmbH & Co. KG Hahn & Tessky

Plochinger Straße 92
D-73730 Esslingen

Fon +49 711 3191-0
Fax +49 711 3191-587

info@index-werke.de
www.index-werke.de