



## Shrink collet

## Shrink collet






The use of shrink collets allows you to reduce cycle times and increase tool life and workpiece quality.

Larger forces holding the tool mounting allow an increase in the cutting values. Improved concentricity achieved by fully encircled tool clamping extends the life of your cutting tools while providing enhanced surface quality of your workpieces.

INDEX shrink collets can easily be used in all existing tool holders with ER collet mountings. Costly conversions or new procurement of tool holders are not necessary.

The INDEX team is pleased to assist you in selecting a shrink device adapted to your production.

Please feel free to contact us if you have any further questions +49 711 3191-9854 or visit us online: [ixshop.ixworld.com](http://ixshop.ixworld.com)

		Part number	Clamping diameter mm
	<b>Shrink collet ER11</b>	10464196	Ø3
		10722479	Ø4
		10593379	Ø5
		10729068	Ø6
	<b>Shrink collet ER16</b>	10424012	Ø3
		10661742	Ø4
		10693226	Ø5
		10276746	Ø6
		10813386	Ø8
	<b>Shrink collet ER20</b>	10954184	Ø10
		10110681	Ø3
		10473378	Ø4
		10715340	Ø5
		11032021	Ø6
		10985734	Ø8
		10580593	Ø10
10013871	Ø12		
	<b>Shrink collet ER25</b>	10107756	Ø3
		10066705	Ø4
		10778567	Ø5
		10544322	Ø6
		10685250	Ø8
		10842798	Ø10
		10916530	Ø12
		10667151	Ø13
		10865002	Ø14
		10321278	Ø15
10153738	Ø16		
	<b>Shrink collet ER32</b>	10767887	Ø6
		10241159	Ø8
		10597165	Ø10
		10315571	Ø12
		10443106	Ø13
		10571319	Ø14
		10309494	Ø15
		10652183	Ø16
		10898820	Ø18
10023359	Ø20		

# INDEX

## **INDEX-Werke GmbH & Co. KG Hahn & Tessky**

Plochinger Straße 92  
D-73730 Esslingen

Fon +49 711 3191-0  
Fax +49 711 3191-587

[info@index-werke.de](mailto:info@index-werke.de)  
[www.index-werke.de](http://www.index-werke.de)