

Headstock

Technical data

Spindle clearance 76mm

No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Schweiger

[Plug](#)

Product ID : 10601867

Previous product ID : 483241.0251

Electrical assemblies Connector	Length 20 Millimeter	Width 18 Millimeter	Number of wires/poles (ST) 5 Piece
Plug connection/type M12	Protection class IP67		

[Extension part](#)

Product ID : 10563968

Previous product ID : 483024.1216

Electrical assemblies Screw connection, inlet	Inner diameter (mm) 8 Millimeter	Outer diameter (mm) 18 Millimeter	Material Metal
--------------------------------------------------	-------------------------------------	--------------------------------------	-------------------

[O-Ring](#)

Product ID : 10271812

Previous product ID : 483024.8001

Electrical assemblies Screw connection, inlet	Inner diameter (mm) 9 Millimeter	Material FKM	
--------------------------------------------------	-------------------------------------	-----------------	--

[Cabel coupling](#)

Product ID : 10848666

Previous product ID : 483689.4015

Electrical assemblies Screw connection, inlet	Inner diameter (mm) 28 Millimeter	Outer diameter (mm) 45 Millimeter	Material Metal
--------------------------------------------------	--------------------------------------	--------------------------------------	-------------------

Reducer

Product ID : 10006411

Previous product ID : 483023.5040

Electrical assemblies	Inner diameter (mm)	Outer diameter (mm)	Material
Screw connection, inlet	40 Millimeter	50 Millimeter	Metal

Wire H07V-K 16,0 GN-YE

Product ID : 10840065

Previous product ID : 383131.1600

Electrical assemblies	Cross-section	Voltage	Outer diameter (mm)
Wire	16 Square millimeter	300 Volt • 750 Volt	8.8 Millimeter
green/yellow	Insulating material		
	PVC		

Cable shoe 6/16

Product ID : 10308963

Previous product ID : 483505.0621

Electrical assemblies	Length	Cross-section	SR - silver
Wire end preparation	27 Millimeter	16 Square millimeter	

Push-in fittings QS, standard series

Plug

Product ID : 10279746

Previous product ID : 471414.08

Pneumatic connection, port 1 Push-in sleeve QS-8

Other accessories

Socket head screw

Product ID : 10817076

Previous product ID : 410260.0675

[Plug connect](#)

Product ID : 10548488

Previous product ID : 471400.0838

[THROTTLE M8X1-1,2](#)

Product ID : 10243845

Previous product ID : 477196.3120

[Screw cap](#)

Product ID : 12019621

Previous product ID :

[Restrictor](#)

Product ID : 10045602

Previous product ID : 477196.3320

[Label V2A](#)

Product ID : 10199471

Previous product ID : 498010.4520

[LOCKING CYLINDER](#)

Product ID : 10575845

Previous product ID : GL2702.1055

[Pin 8 m6 x 20](#)

Product ID : 10934218

Previous product ID : 401000.0820

[Socket head screw](#)

Product ID : 10734853

Previous product ID : 410261.0810

[Notched disc A 6,4 A2K 6797 A 6,3 A2K](#)

Product ID : 10512443

Previous product ID : 419875.06

[Washer St B 6,4 A2K 125 B 6,4 A2K](#)

Product ID : 10343786

Previous product ID : 419012.06

[Lens head screw](#)

Product ID : 10981232

Previous product ID : 410243.0608

[Washer St 8,4-7349](#)

Product ID : 10022427

Previous product ID : 419021.08

[Locking screw](#)

Product ID : 10796845

Previous product ID : P23321.10

[gasket ring](#)

Product ID : 10083232

Previous product ID : 479023.0812

[Plug Festo QSC-16H 153272](#)

Product ID : 10105370

Previous product ID : 471414.16
