

## Change parts

### Technische Daten

<b>INDEX TRAUB products</b>	TNL18
<b>Spindle clearance</b>	20mm
<b>Machining side</b>	Main spindle
<b>Spindle mounting</b>	Taper 1:4
<b>Clamping device size</b>	1212E/F16



Für dieses Produkt ist aktuell keine 3-Seiten-Ansicht verfügbar

## Dokumente

Für dieses Produkt sind keine Downloads vorhanden

## Zubehör

### Optionales Zubehör

#### Schlenker clamping tools

#### [Clamping collet 1212E/F16 Ø=13,00](#)

Artikel-Id : 10480338  
frühere Artikel-Id : 900196.R130UP

#### [Clamping collet 1212E/F16 Ø=13,00](#)

Artikel-Id : 10223757  
frühere Artikel-Id : 900196.G130UP

#### [Clamping collet 1212E/F16 Ø=6,00](#)

Artikel-Id : 10721254  
frühere Artikel-Id : 900196.R060UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 6 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

#### [Clamping collet 1212E/F16 Ø=7,00](#)

Artikel-Id : 10518651  
frühere Artikel-Id : 900196.R070UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=8,00

Artikel-Id : 10889185

frühere Artikel-Id : 900196.R080UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=9,00

Artikel-Id : 10572010

frühere Artikel-Id : 900196.R090UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=10,00

Artikel-Id : 10918067

frühere Artikel-Id : 900196.R100UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 10 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=11,00

Artikel-Id : 10232071

frühere Artikel-Id : 900196.R110UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=12,00

Artikel-Id : 10188874

frühere Artikel-Id : 900196.R120UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type grooved	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=4,00

Artikel-Id : 10604251

frühere Artikel-Id : 900196.G040UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 4 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=5,00

Artikel-Id : 10591246

frühere Artikel-Id : 900196.G050UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 5 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=6,00

Artikel-Id : 10940678

frühere Artikel-Id : 900196.G060UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 6 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=7,00

Artikel-Id : 10706708

frühere Artikel-Id : 900196.G070UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 7 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=8,00

Artikel-Id : 10586688

frühere Artikel-Id : 900196.G080UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 8 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=9,00

Artikel-Id : 10253110

frühere Artikel-Id : 900196.G090UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 9 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

### Clamping collet 1212E/F16 Ø=10,00

Artikel-Id : 10563782

frühere Artikel-Id : 900196.G100UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 10 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet 1212E/F16 Ø=11,00

Artikel-Id : 10180890

frühere Artikel-Id : 900196.G110UP

Clamping device size 1212E/F16	manufacturer product line	Clamping type smooth	Nominal diameter (mm) 11 Millimeter
Clamping method External clamping	Collet version Slots vulcanized (standard)	manufacturer product line Schlenker	

Clamping collet 1212E/F16 Ø=12,00

Artikel-Id : 10847038

frühere Artikel-Id : 900196.G120UP

Spannmittelbaugröße 1212E/F16	Hersteller Produktlinie Spannzange	Spannausführung glatt	Nenn Durchmesser 12 Millimeter
Spannmethode Außenspannung	Spannzangenvariante Schlitze vulkanisiert (Stdrd)	Hersteller Produktlinie Schlenker	