
# Grooving tool holder MS16 grooving slide, angle-adjustable, X.1




## Technical data

| | |
|---|---|
| **Slide system MS** | MS16 grooving slide |
| **Drive** | not live |
| **Fixation MS** | W serration |
| **Cooling** | external |
| **Pressure** | 80 bar |
| **Direction** | right-handed run |
| **Mounting** | Forming tool AWN 28 |
| **X [mm]** | 82 (3.23") |
| **Y [mm]** | – |
| **Z [mm]** | 25 (0.98) |
| **INDEX TRAUB products** | MS16-6 • MS16-6 Plus |

## Note

Can be used on INDEX MS16-6 in positions 2.1 and 4.1 only!




| X | 82 |
|---|---|

## Documents

**Product notes**

EN (pdf)

DE (pdf)

FR (pdf)

## Accessories

### Optional accessories

**Other accessories**

EX.SOC.PLUG/4Z-908 VSTI R 1/4-ED

Product ID : 10886676
Previous product ID : 410773.0025

Coolant Nozzle

Product ID : 11031912
Previous product ID : W67500.3208

HOLLOW SCREW M14x1 M14x1

Product ID : 10105238
Previous product ID : W67530.0818

BUSHING 10 D x 6 D x 12,5

Product ID : 10670360
Previous product ID : W67530.0824

Nozzle M6 mit D1,6

Product ID : 10147428
Previous product ID : W00019.0216

Stop Feineinstellung; klein

Product ID : 10786502
Previous product ID : W9990769