
Spindelreduzierung 13mm

Technical data

Produkte INDEX TRAUB	MS16-6
Funktion (Bauteil)	Spindelreduzierung
Stangenlademagazin	IEMCA NEXT 25 • INDEX Stangenführung 3300 • INDEX Stangenführung 3800
Materiald. ohne Anbohrereinheit	12 Millimeter

No 3-side view is currently available for this product

Documents

No downloads available for this product

Accessories

Optional accessories

Collets and guide bushings

[Clamping head SK16 D=12,00mm](#)

Product ID : 11061244

Previous product ID : 900416.R120

Clamping device size SK16	manufacturer product line SPANNTOP nova chuck	Clamping type grooved	Nominal diameter (mm) 12 Millimeter
Clamping method External clamping	manufacturer product line Hainbuch		

Spindelreduzierungen

[Schlüssel,16 mm,22 mm Demontage FZ-Rohre MS16](#)

Product ID : 10284753

Previous product ID : 925010.9001

[Spindelverlängerung](#)

Product ID : 10340181

Previous product ID : M90561.30

[Key,16 mm \(0.63 "\) S20](#)

Product ID : 10674612

Previous product ID : 900416.8121

Bearing half-shells 13mm

Product ID : 10252221

Previous product ID : 925042.1300

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Bearing half-shells	Bar loading magazine IEMCA NEXT 25	Bar diameter w/o drilling unit 11 Millimeter • 12 Millimeter
--	---	---------------------------------------	---

Fixture

Product ID : 11014344

Previous product ID : 900416.8162

INDEX TRAUB products MS16-6	Function (Component) Fixture	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 4 Millimeter • 5 Millimeter • 6 Millimeter • 7 Millimeter • 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter
--------------------------------	---------------------------------	---	--

Inner tension tong RS20,12,00 mm

Product ID : 11037023

Previous product ID : 925210.0120

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Inner tension tong RS20	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 12 Millimeter
--	--	---	--

Outer tension tong RS20

Product ID : 10797583

Previous product ID : 900416.8210

INDEX TRAUB products MS16-6 • MS16-6 Plus	Function (Component) Outer tension tong RS20	Bar loading magazine INDEX Bar guide 4300 • IEMCA NEXT 25 • INDEX Bar guide 3300 • INDEX Bar guide 3800	Bar diameter w/o drilling unit 8 Millimeter • 9 Millimeter • 10 Millimeter • 11 Millimeter • 12 Millimeter • 13 Millimeter • 14 Millimeter • 15 Millimeter • 16 Millimeter
--	--	---	--

Reduzierbuchse 13mm

Product ID : 10223736

Previous product ID : 925041.1300

INDEX TRAUB products MS16-6	Function (Component) Reduction bushing	Bar loading magazine IEMCA NEXT 25	Bar diameter w/o drilling unit 12 Millimeter
--------------------------------	---	---------------------------------------	--

Other accessories

Spindelverlängerung

Product ID : 10140416

Previous product ID : M90562.40

Feed force tester MS16C

Product ID : 10813724

Previous product ID : GM2901.9417