

Grooving tool holder MS16 grooving slide, X.1

Technical data

| | |
|-----------------------------|----------------------|
| Slide system MS | MS16 grooving slide |
| Drive | not live |
| Fixation MS | W serration |
| Cooling | external |
| Pressure | 80 bar |
| Direction | right-handed run |
| Mounting | Forming tool AWN 28 |
| X [mm] | 106 (4.17") |
| Y [mm] | – |
| Z [mm] | 25 (0.98) |
| INDEX TRAUB products | MS16-6 • MS16-6 Plus |



Note

Can be used on INDEX MS16-6 in positions 2.1 and 4.1 only!



| | |
|---|----|
| X | 82 |
|---|----|

Documents

No downloads available for this product

Accessories

Optional accessories

Other accessories

[EX.SOC.PLUG/4Z-908 VSTI R 1/4-ED](#)

Product ID : 10886676

Previous product ID : 410773.0025

[BUSHING 10 D x 6 D x 12,5](#)

Product ID : 10670360

Previous product ID : W67530.0824

[Coolant Nozzle](#)

Product ID : 11031912

Previous product ID : W67500.3208

[HOLLOW SCREW M14x1 M14x1](#)

Product ID : 10105238

Previous product ID : W67530.0818

[Nozzle M6 mit D1,6](#)

Product ID : 10147428

Previous product ID : W00019.0216

[Stop Feineinstellung; groß](#)

Product ID : 10823911

Previous product ID : W9990754
